

2022

Fischer V, **Bennion RF**, Foffa D, MacLaren JA, McCurry MR, Melstrom KM, and Bardet N. Ecological signal in the size and shape of marine amniote teeth. *Proceedings B: Biology*

Bennion RF, MacLaren JA, Coombs E, Marx FG, Lambert O, and Fischer V. Convergence and constraint in the cranial evolution of mosasaurid reptiles and early cetaceans. *Paleobiology*.

He T, Wignall PB, Newton RJ, **Atkinson JW**, Keeling JF, Xiong Y, and Poulton SW. Extensive marine anoxia in the European epicontinental sea during the end-Triassic mass extinction. *Global and Planetary Change*, 210, p.103771.

MacLaren JA, **Bennion RF**, Bardet N, and Fischer V. Global ecomorphological restructuring of dominant marine reptiles prior to the K/Pg mass extinction. *Proceedings B: Biology*, 289(1975), 20220585.

Coombs EJ, Felice RN, Clavel J, Park T, **Bennion RF**, Churchill M, Geisler J, Beatty B, and Goswami A. The tempo of cetacean cranial evolution. *Current Biology*, 32(10), 2233-2247.

Laboury A, **Bennion RF**, Thuy B, Weis R, and Fischer V. A revision of *Temnodontosaurus zetlandicus* (Seeley, 1880) nov. comb. and the phylogenetic relationships of Early Jurassic ichthyosaurians. *Zoological Journal of the Linnean Society*, 195(1), 172-194.

2021

Ferrari M, Little CT, and **Atkinson JW**. Upper Toarcian (Lower Jurassic) marine gastropods from the Cleveland Basin, England: systematics, palaeobiogeography and contribution to biotic recovery from the early Toarcian extinction event. *Papers in Palaeontology*, 7(2), pp.885-912.

2020

Fischer V, MacLaren JA, Soul LC, **Bennion RF**, Druckenmiller PS, and Benson RBJ. The macroevolutionary landscape of short-necked plesiosaurians. *Scientific Reports*, 10, 16434.

Atkinson JW, Wignall PB, and Page KN. The Hettangian–Sinemurian (Lower Jurassic) strata of Redcar, Cleveland Basin, NE England: facies and palaeoecology. *Proceedings of the Yorkshire Geological Society*, 63(2), pp.77-87.

Atkinson JW and Wignall PB. Body size trends and recovery amongst bivalves following the end-Triassic mass extinction. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 583, 109453

Wignall PB and **Atkinson JW**. A two-phased end-Triassic mass extinction. *Earth Science Reviews*, 103282

Wignall PB, Chu D, Hilton JM, Dal Corso J, Wu Y, Wang Y, **Atkinson JW** and Tong J. Death in the shallows: the record of Permo-Triassic mass extinction in paralic settings, southwest China. *Global and Planetary Change*, 189, p.103176.

2019

Atkinson JW and Wignall PB. How quick was marine recovery after the end-Triassic mass extinction and what role did anoxia play? *Palaeogeography, Palaeoclimatology, Palaeoecology*. 528, 99-119

Atkinson JW, Wignall PB, **Morton JD**, and Aze T. Body size changes in bivalves of the family Limidae in the aftermath of the end-Triassic mass extinction: the Brobdingnag effect. *Palaeontology* 62(4):561-82.

2018

Richards KR, Sherwin JE, Smithson TR, **Bennion RF**, Davies SJ, Marshall JE and Clack JA. (2018) Diverse and durophagous: early Carboniferous chondrichthyans from the Scottish Borders. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 108(1), 67-87.

Hethke M, Fürsich FT, **Morton JD** and Jiang B. Analysis of morphological variability in the clam shrimp *Eosestheria middendorfii* (Crustacea, Spinicaudata) from the Lower Cretaceous of China, and its implications for spinicaudatan taxonomy. *Papers in Palaeontology*, 4(1), pp.21-53.

2017

Morton JD, Whiteside DI, Hethke M, and Benton MJ. Biostratigraphy and geometric morphometrics of conchostracans (Crustacea, Branchiopoda) from the Late Triassic fissure deposits of Cromhall Quarry, UK. *Palaeontology*. 60(3):349-74.